

SELF-ADHESIVE MATERIALS

LARGE FORMAT

# DIGITAL RANGE

- WIDE FORMAT INK-JET PRINT MEDIA
- VEHICLE WRAPPING MEDIA
- FLOOR TALKER SOLUTIONS
- WINDOW GRAPHICS INK-JET PRINT MEDIA
- EASY APPLICATION SOLUTIONS
- WALL GRAPHICS INK-JET PRINT MEDIA
- INK-JET ECO-GREEN PRINT MEDIA
- WATER BASED INK-JET PRINT MEDIA
- OVERLAMINATING FILMS
- MOUNTING FILMS



WIDE FORMAT INK-JET PRINT MEDIA										Overlaminating Films Recommended									
MONOMERIC COMMODITY FILMS										MONOMERIC COMMODITY FILMS									
RI-JET 145 GLOSS WHITE AP PERMANENT WK135	80μ	Gloss White	Monomeric Vinyl	Transparent	AP Permanent	135 g/m² kraft paper	105 - 126 - 140 - 155 - 160	137	50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•				
RI-JET 145 GLOSS WHITE AVM REMOVABLE WK135	80μ	Gloss White	Monomeric Vinyl	Transparent	AVM Removable	135 g/m² kraft paper	105 - 140 - 155 - 160		50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 165 MATT WHITE AP PERMANENT WK135	80μ	Matt White	Monomeric Vinyl	Transparent	AP Permanent	135 g/m² kraft paper	105 - 140 - 155 - 160	126	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 205 GLOSS CLEAR AP PERMANENT WK135	80μ	Gloss Clear	Monomeric Vinyl	Transparent	AP Permanent	135 g/m² kraft paper	105 - 140 - 155 - 160	126	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 265 MATT CLEAR AP PERMANENT WK135	80μ	Matt Clear	Monomeric Vinyl	Transparent	AP Permanent	135 g/m² kraft paper	105 - 140 - 155 - 160	137	50 - 100 - 250	3 - (6)	3		•	•	•				
MONOMERIC INTERMEDIATE FILMS										MONOMERIC INTERMEDIATE FILMS									
RI-JET 100 GLOSS WHITE AP PERMANENT WK135	100μ	Gloss White	Monomeric Vinyl	Transparent	AP Permanent	135 g/m² kraft paper	105 - 140 - 160	126 - 155	50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•				
RI-JET 100 GLOSS WHITE AVM REMOVABLE WK135	100μ	Gloss White	Monomeric Vinyl	Transparent	AVM Removable	135 g/m² kraft paper	105 - 140 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 100 MATT WHITE AP PERMANENT WK135	100μ	Matt White	Monomeric Vinyl	Transparent	AP Permanent	135 g/m² kraft paper	105 - 140 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 100 MATT WHITE AVM REMOVABLE WK135	100μ	Matt White	Monomeric Vinyl	Transparent	AVM Removable	135 g/m² kraft paper	105 - 140 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 100 GLOSS CLEAR AP PERMANENT WK135	100μ	Gloss Clear	Monomeric Vinyl	Transparent	AP Permanent	135 g/m² kraft paper	105 - 137 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 100 GLOSS CLEAR ASP30 REMOVABLE WK135	100μ	Gloss Clear	Monomeric Vinyl	Transparent	ASP30 Removable	135 g/m² kraft paper	137 - 160	126 - 140	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET DECOBUS SEMI-GLOSS WHITE OPAQUE ASP30 REMOVABLE WK135	85μ	Semi-gloss white opaque	Monomeric Vinyl	Transparent	ASP30 Removable	135 g/m² kraft paper	137		50 - 100 - 250	3 - (6)	3	•	•	•				•	
MONOMERIC INTERMEDIATE PIGMENTED FILMS										MONOMERIC INTERMEDIATE PIGMENTED FILMS									
RI-JET 100 GLOSS WHITE AP PERMANENT BLACK WK135	100μ	Gloss White	Monomeric Vinyl	Black	AP Permanent	135 g/m² kraft paper	105 - 140 - 160	126 - 155	50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•				
RI-JET 100 GLOSS WHITE AVM REMOVABLE BLACK WK135	100μ	Gloss White	Monomeric Vinyl	Black	AVM Removable	135 g/m² kraft paper	105 - 140 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•				•
RI-JET 100 MATT WHITE AP PERMANENT BLACK WK135	100μ	Matt White	Monomeric Vinyl	Black	AP Permanent	135 g/m² kraft paper	105 - 140 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 100 MATT WHITE AVM REMOVABLE BLACK WK135	100μ	Matt White	Monomeric Vinyl	Black	AVM Removable	135 g/m² kraft paper	105 - 140 - 160	126 - 155	50 - 100 - 250	3 - (6)	3		•	•	•				•
RI-JET 100 GLOSS WHITE AP PERMANENT GREY WK135	100μ	Gloss White	Monomeric Vinyl	Grey	AP Permanent	135 g/m² kraft paper	105 - 140 - 160	137	50 - 100 - 250	3 - (6)	3		•	•	•				
RI-JET 100 MATT WHITE AP PERMANENT GREY WK135	100μ	Matt White	Monomeric Vinyl	Grey	AP Permanent	135 g/m² kraft paper	105 - 140 - 160	137	50 - 100 - 250	3 - (6)	3		•	•	•				
SPECIALTIES										SPECIALTIES									
RI-JET 100 GLOSS WHITE AP PERMANENT GREY WKPE140 AIRFLOW	100μ	Gloss White	Monomeric Vinyl	Grey	AP Permanent	140 g/m² embossed PE coated kraft paper	105 - 137 - 155		50 - 100	3 - (6)	3	RI-1867 - RI-2867 - RI-2877 - RI-2067 - RI-2967 - RI-2977 - RI-6480	•	•	•				
RI-JET 170 GLOSS WHITE AVM REMOVABLE WK135	170μ	Gloss White	Monomeric Vinyl	Transparent	AVM Removable	135 g/m² kraft paper	140 - 155	126	50 - 100 - 250	3 - (6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•				
ONE-WAY VISION FILMS										ONE-WAY VISION FILMS									
BUDGET RI-VIEW ASP30 REMOVABLE BLACK WK135/PET CLEAR	100μ	White Perforated PVC 40% Open Area	Black	ASP30 Removable		135 g/m² kraft paper/PET clear	137		50	3 - (6)	3	RI-6480	•	•	•				
PROMO RI-VIEW ASP30 REMOVABLE WK135/PET CLEAR	145μ	White & Black Perforated PVC 40% Open Area	Transparent	ASP30 Removable		135 g/m² kraft paper/PET clear	105 - 137		50	3 - (6)	3	RI-JET 50 CAST	W	•	•	•			
POLYMERIC FILMS										POLYMERIC FILMS									
RI-JET 75 PE GLOSS WHITE ASP26 PERMANENT WKPE144	75μ	Gloss White	Polymeric Vinyl	Transparent	ASP26 Permanent	144 g/m² 2 side PE coated kraft paper	137 - 155		50 - 100	3 - (6)	7	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR	•	•	•				•
RI-JET 75 BLOCKOUT PE GLOSS WHITE ASP26 PERMANENT GREY WKPE144	75μ	Gloss White	Polymeric Vinyl	Grey	ASP26 Permanent	144 g/m² 2 side PE coated kraft paper	105 - 137 - 155		50 - 100	3 - (6)	7		•	•	•				•
RI-JET 75 MATT WHITE ASP26 PERMANENT WKPE144	75μ	Matt White	Polymeric Vinyl	Transparent	ASP26 Permanent	144 g/m² 2 side PE coated kraft paper	137 - 155		50 - 100	3 - (6)	5		•	•	•				•
RI-JET 75 MATT PE BLOCKOUT ASP26 PERMANENT GREY WKPE144	75μ	Matt White	Polymeric Vinyl	Grey	ASP26 Permanent	144 g/m² 2 side PE coated kraft paper	105 - 137 - 155		50 - 100	3 - (6)	7		•	•	•				•
RI-JET 75 CLEAR PE GLOSS CLEAR ASP26 PERMANENT WKPE144	75μ	Gloss Clear	Polymeric Vinyl	Transparent	ASP26 Permanent	144 g/m² 2 side PE coated kraft paper	137 - 155		50 - 100	3 - (6)	7		•	•	•				•
RI-JET 75 OPTIMA GLOSS WHITE AP940 PERMANENT WK135	75μ	Gloss White	Polymeric Vinyl	Transparent	AP940 Permanent	135 g/m² kraft paper	105 - 137 - 160		50	3 - (6)	5		•	•	•				•
RI-JET 75 OPTIMA GLOSS CLEAR AP940 PERMANENT WK135	75μ	Gloss Clear	Polymeric Vinyl	Transparent	AP940 Permanent	135 g/m² kraft paper	105 - 137 - 160		50	3 - (6)	4		•	•	•				•
RI-JET 75 OPTIMA GREYOUT GLOSS WHITE AP940 PERMANENT GREY WK135	75μ	Gloss White	Polymeric Vinyl	Grey	AP940 Permanent	135 g/m² kraft paper	105 - 137 - 160		50	3 - (6)	5		•	•	•				•
RI-JET TRANSLUCENT WHITE ASP30 REMOVABLE WK135	90μ	Translucent White	Polymeric Vinyl	Transparent	ASP30 Removable	135 g/m² kraft paper	126 - 140	160	50 - 100	3 - (6)	7		•	•	•				•
RI-JET POLY 100 GLOSS WHITE ASP32 EXTRAPERMANENT WKPE140	100μ	Gloss White	Polymeric Vinyl	Transparent	ASP32 Extra Permanent	140 g/m² 2 side PE coated kraft paper	137		50 - 100	3 - (6)	7		•	•	•				•
APOLAR SURFACES										APOLAR SURFACES									
HI-GRIP 75 GLOSS WHITE ASP32 EXTRA PERMANENT WK135	75μ	Gloss White	Polymeric Vinyl	Transparent	ASP32 Extra Permanent	135 g/m² kraft paper	137		50 - 100	3 - (6)	5	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR	W	•	•	•			•
HI-GRIP 75 GLOSS CLEAR ASP32 EXTRA PERMANENT WK135	75μ	Gloss Clear	Polymeric Vinyl	Transparent	ASP32 Extra Permanent	135 g/m² kraft paper	137		50 - 100	3 - (6)	5	•	•	•				•	
HI-GRIP 50 CAST GLOSS WHITE ASP32 EXTRA PERMANENT WKPE140 AIRFLOW	50μ	Gloss White	CAST Vinyl	Transparent	ASP32 Extra Permanent	140 g/m² embossed PE coated kraft paper	152		50 - 100	3 - (6)	10	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR	•	•	•				•
CAST FILMS										CAST FILMS									
RI-JET 50 CAST GLOSS CLEAR ASP26 PERMANENT WKPE144	50μ	Gloss Clear	CAST Vinyl	Transparent	ASP26 Permanent	144 g/m² 2 side PE coated kraft paper	137 - 152		50 - 100	3 - (6)	7	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR	•	•	•				•
RI-JET 50 CAST GLOSS WHITE ASP26 PERMANENT GREY WKPE144	50μ	Gloss White	CAST Vinyl	Grey	ASP26 Permanent	144 g/m² 2 side PE coated kraft paper	137 - 152		50 - 100	3 - (6)	10	•	•	•				•	
STATIC CLING FILMS										STATIC CLING FILMS									
RI-JET 150 STATIC GLOSS CLEAR BRD200	150μ	Gloss Clear	Static Cling Vinyl	No adhesive	No adhesive	200 g/m² cast coated board	104 - 140		50	3 - (6)	1*	No lamination needed	•	•	•				
RI-JET 150 STATIC GLOSS WHITE BRD200	150μ	Gloss White	Static Cling Vinyl	No adhesive	No adhesive	200 g/m² cast coated board	140		50	3 - (6)	1*	•	•	•					

Product Code	Face Material	Adhesive	Backing	Widths (cm)	Other Widths (cm) <sup>1</sup>	Lengths (m)	Core (inches) <sup>2</sup>	Durability (Years) <sup>3</sup>	DIGITAL RANGE		Advertising & Promotional Applications				Vehicle Applications
									Window Graphics	Outdoor Posters / Billboards / Signs	Indoor Posters / Billboards / Signs / POS	Floor Graphics	Wall Graphics	Flat sided including Buses, Trams & taxis	Corrugated surfaces and vehicle wrapping

**Overlaminating Films Recommended**

VEHICLE WRAPPING MEDIA											VEHICLE WRAPPING MEDIA						
RI-JET 75 GLOSS WHITE ASP33 PERMANENT REPOSITIONABLE GREY WKPE144	75μ	Gloss White	Polymeric Vinyl	Grey	ASP33 Permanent Repositionable	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 155	50	3-(6)	5	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR	•	•	•	•	•	•
RI-JET 75 AIRFLOW GLOSS WHITE ASP33 PERMANENT REPOSITIONABLE GREY WKPE140	75μ	Gloss White	Polymeric Vinyl	Grey	ASP33 Permanent Repositionable	140 g/m <sup>2</sup> embossed PE coated kraft paper	137 - 155	50	3-(6)	5		•	•	•	•	•	•
RI-JET 50 GLOSS WHITE ASP33 PERMANENT REPOSITIONABLE GREY WKPE144	50μ	Gloss White	CAST Vinyl	Grey	ASP33 Permanent Repositionable	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137 - 152	50-100	3-(6)	10	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR	•	•	•	•	•	•
RI-JET 50 AIRFLOW GLOSS WHITE ASP33 PERMANENT REPOSITIONABLE GREY WKPE140	50μ	Gloss White	CAST Vinyl	Grey	ASP33 Permanent Repositionable	140 g/m <sup>2</sup> embossed PE coated kraft paper	137 - 152	50	3-(6)	10		•	•	•	•	•	•

FLOOR TALKER SOLUTIONS											FLOOR TALKER SOLUTIONS						
RI-JET 140 FLOOR TALKER GLOSS WHITE ASP8A PERMANENT GREY WKPE144	100μ	Gloss White	Monomeric Vinyl	Grey	ASP8A Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	100 - 122 - 137	50-100	3-(6)	3	RI-121/100 • RI-121/200	•	•	•	•	•	•
RI-JET 100 GLOSS WHITE AP PERMANENT GREY WK135	100μ	Gloss White	Monomeric Vinyl	Grey	AP Permanent	135 g/m <sup>2</sup> kraft paper	105 - 140 - 160	137	50-100-250	3-(6)	3	•	•	•	•	•	•
RI-121/100 POP-UP CLEAR AP PERMANENT WG62	100μ	Clear	Embossed Scuff Resistant Vinyl	Transparent	AP Permanent	62 g/m <sup>2</sup> glassine paper	104 - 122 - 140	50-100	3	1	Overlaminating Films	•	•	•	•	•	•
RI-121/200 FLOOR TALKER CLEAR ASP8A PERMANENT WG90	200μ	Clear	Embossed Scuff Resistant Vinyl	Transparent	ASP8A Permanent	90 g/m <sup>2</sup> glassine paper	100-104-122-137	50-100	3	3		•	•	•	•	•	•

WINDOW GRAPHICS INK-JET PRINT MEDIA											WINDOW GRAPHICS INK-JET PRINT MEDIA						
RI-JET 100 SUPERCLEAR ASP30 REMOVABLE PET30	100μ	Gloss Clear	Monomeric Vinyl	Transparent	ASP30 Removable	30μ clear PET	137-153	50-100	3-(6)	3	RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6480	•	•	•	•	•	•
RI-JET 75 GLOSS WHITE ASP30 REMOVABLE WKPE144	75μ	Gloss White	Polymeric Vinyl	Transparent	ASP30 Removable	144 g/m <sup>2</sup> 2 side PE coated kraft paper	137	50-100	3-(6)	5	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR	•	•	•	•	•	•
RI-JET 75 ECO-UV PRINT GLOSS CLEAR ARS7 REMOVABLE PET30	75μ	Gloss Clear	Polyester	Transparent	ARS7 Removable	30μ clear PET	150	50-100	3-(6)	3	RI-JET 375 CLEAR ECO-DIGITAL	•	•	•	•	•	•
RI-JET 75 ECO S/L PRINT GLOSS CLEAR ARS7 REMOVABLE PET30	75μ	Gloss Clear	Polyester	Transparent	ARS7 Removable	30μ clear PET	137	50	3-(6)	3	RI-JET 50 CAST ULTRACLEAR	•	•	•	•	•	•
RI-JET 50 CAST ULTRACLEAR ASP26 PERMANENT PET36	50μ	Gloss Clear	CAST Vinyl	Transparent	ASP26 Permanent	36μ clear PET	137 - 152	50	3-(6)	8	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR	•	•	•	•	•	•

EASY APPLICATION SOLUTIONS											EASY APPLICATION SOLUTIONS						
RI-JET 100 GLOSS CLEAR AVM REMOVABLE WKPE140 AIRFLOW	100μ	Gloss Clear	Monomeric Vinyl	Transparent	AVM Removable	140 g/m <sup>2</sup> embossed PE coated kraft paper	137	50 - 100	3-(6)	3	No lamination needed	•	•	•	•	•	•
RI-JET 100 MATT WHITE AVM REMOVABLE WKPE140 AIRFLOW	100μ	Matt White	Monomeric Vinyl	Transparent	AVM Removable	140 g/m <sup>2</sup> embossed PE coated kraft paper	137	50 - 100	3-(6)	3		•	•	•	•	•	•
RI-DOT GLOSS CLEAR AP PERMANENT WK135	100μ	Gloss Clear	Monomeric Vinyl	Transparent	AP Permanent	135 g/m <sup>2</sup> kraft paper	137	50	3	2		•	•	•	•	•	•
RI-DOT MATT WHITE AP PERMANENT WK135	100μ	Matt White	Monomeric Vinyl	Transparent	AP Permanent	135 g/m <sup>2</sup> kraft paper	137	50	3	2		•	•	•	•	•	•
RI-FIX GLOSS CLEAR ARS3 ULTRA REMOVABLE PET30	170μ	Gloss Clear	Monomeric Vinyl	Transparent	ARS3 Ultra Removable	30μ white PET	137	50-100-250	3-(6)	1		•	•	•	•	•	•
RI-FIX GLOSS WHITE ARS3 ULTRA REMOVABLE WK135	170μ	Gloss White	Monomeric Vinyl	Transparent	ARS3 Ultra Removable	135 g/m <sup>2</sup> kraft paper	137	50-100-250	3-(6)	1		•	•	•	•	•	•

WALL GRAPHICS INK-JET PRINT MEDIA											WALL GRAPHICS INK-JET PRINT MEDIA						
RI-JET DECO-WALL 100 ASP32 EXTRA PERMANENT GREY WK135	100μ	Matt White	Monomeric Vinyl	Grey	ASP32 Extra Permanent	135 g/m <sup>2</sup> kraft paper	137	50	3-(6)	4	No lamination needed (indoor use)	•	•	•	•	•	•
RI-JET DECO-WALL 75 ASP32 EXTRA PERMANENT GREY WK135	75μ	Gloss White	Polymeric Vinyl	Grey	ASP32 Extra Permanent	135 g/m <sup>2</sup> kraft paper	137	50-100	3-(6)	5	RI-JET 75 GLOSS CLEAR • RI-JET 75 MATT CLEAR	•	•	•	•	•	•
RI-JET DECO-WALL 150 LINEN AP940 PERMANENT WK135	150μ	Linen pattern White Satin	Polymeric Vinyl	Transparent	AP940 Permanent	135 g/m <sup>2</sup> kraft paper	137	50	3-(6)	4	No lamination needed	•	•	•	•	•	•
RI-JET DECO-WALL 50 ASP32 EXTRA PERMANENT GREY WKPE 140 AIRFLOW	50μ	Gloss White	CAST Vinyl	Grey	ASP32 Extra Permanent	140 g/m <sup>2</sup> embossed PE coated kraft paper	152	50-100	3-(6)	10	RI-JET 30 FLEXILAM GLOSS CLEAR • RI-JET 30 FLEXILAM MATT CLEAR	•	•	•	•	•	•

INK-JET ECO-GREEN PRINT MEDIA											INK-JET ECO-GREEN PRINT MEDIA						
RI-JET 75 ECO-UV PRINT GLOSS CLEAR ARS7 REMOVABLE PET30	75μ	Gloss Clear	Polyester	Transparent	ARS7 Removable	30μ clear PET	150	50-100	3-(6)	3	RI-JET 375 CLEAR ECO-DIGITAL	•	•	•	•	•	•
RI-JET 75 ECO S/L PRINT GLOSS CLEAR ARS7 REMOVABLE PET30	75μ	Gloss Clear	Polyester	Transparent	ARS7 Removable	30μ clear PET	137	50	3-(6)	3		•	•	•	•	•	•
RI-JET 375 ECO-DIGITAL GLOSS CLEAR AP PERMANENT WK135	95μ	Gloss Clear	Polyolefine	Transparent	AP Permanent	135 g/m <sup>2</sup> kraft paper	140	50-100	3-(6)	3		•	•	•	•	•	•
RI-375/100 CLEAR ECO-UV PRINT TC AP PERMANENT WK135	95μ	Gloss Clear	Polyolefine	Transparent	AP Permanent	135 g/m <sup>2</sup> kraft paper	140	50-100	3-(6)	3		•	•	•	•	•	•
RI-JET 375 WHITE ECO-DIGITAL AP PERMANENT WK135	95μ	Gloss White	Polyolefine	Transparent	AP Permanent	135 g/m <sup>2</sup> kraft paper	140	50-100	3-(6)	3		•	•	•	•	•	•
RI-375/100 WHITE ECO-UV PRINT TC AP PERMANENT WK135	95μ	Gloss White	Polyolefine	Transparent	AP Permanent	135 g/m <sup>2</sup> kraft paper	140	50-100	3-(6)	3		•	•	•	•	•	•

WATER BASED INK-JET PRINT MEDIA											WATER BASED INK-JET PRINT MEDIA						
RI-JET AQUA GLOSS CLEAR SEMI-PERMANENT WK135	85μ	Gloss Clear	Top Coated Vinyl	Transparent	Semi-permanent	135 g/m <sup>2</sup> kraft paper	107 - 137	30	2		RI-1867 • RI-2867 • RI-2877 • RI-2067 • RI-2967 • RI-2977 • RI-6481	•	•	•	•	•	•
RI-JET AQUA GLOSS WHITE SEMI-PERMANENT WK135	85μ	Gloss White	Top Coated Vinyl	Transparent	Semi-permanent	135 g/m <sup>2</sup> kraft paper	107-127-137-152	30	2			•	•	•	•	•	•
RI-JET AQUA MATT WHITE SEMI-PERMANENT WK135	80μ	Matt White	Top Coated Vinyl	Transparent	Semi-permanent	135 g/m <sup>2</sup> kraft paper	107-127-137-152	30	2			•	•	•	•	•	•
RI-JET AQUA PAPER MATT WHITE ASP5 PERMANENT WK135	100g/m <sup>2</sup>	Matt White	Top Coated Paper	Transparent	ASP5 Permanent	135 g/m <sup>2</sup> kraft paper	106 - 127 - 153	50	2			•	•	•	•	•	•



PRINTER COMPATIBILITY
Media specifically developed for and widely used with the following machines: HP Scitex / Nur / ColorSpan, EFI (Vutek), Roland, Mutoh, Mimaki, Seiko, Agfa, Océ, DGI, Gandinnovations, Teckwin, Graphtec, Flora, Infinity, Yselan, Durst, Inca & Zünd. Printer compatibility for Water based products: for water based ink-jet printers with both dye and pigmented inks. Suitable for use with: HP, Roland, Mutoh, Encad, Mimaki, etc.
UV INK-JET PRINTING
The RI-Jet series of ink-jet print media give excellent print results with UV ink-jet printing. However, consideration should be given to the type of applications where such printed media is used, and ensure the appropriate series of UV inks are employed. Certain UV inks can embrittle PVC, so heavy ink lay down with this inks is not advised, less well, and so caution should be given for applications such as floor graphics. Leaving an unprinted border and the correct choice of inks is advised. Please consult your Ritrama representative for further advice and guidance.

WARNING
Testing for suitability between media, printers and inks is always recommended prior to use. Optimum print quality is obtained with correct profiling. For 'print and cut graphics' it is recommended that should be fully dried before application. Residual solvents are known to have a detrimental effect upon the adhesive performance, as well as altering the film characteristics. Overlamination of insufficiently dried graphics can spoil the print appearance.
WARRANTY
For Large Format Digital Printing and in particular for vehicle wrapping Ritrama provides you with a Warranty for RI-JET Vinyl Print Media and Overlaminating Films, Cast & Polymeric materials, when combined with the respective laminations. There are also available Application Guidelines for a correct material use. For any further information contact your Sales Ritrama Representative.
NOTES
To find out which products are held in finished rolls / stock, contact your local Ritrama representative. (1) Minimum quantity required. Other backings available. (2) Core: 6 inches available on request. Roll lengths: also 150m or 200m with minimum ordered quantity. (3) Relates to life of the film only - life of print depends on inks used and techniques. (*) Shelf Life: 6 months, applicable to the film only at stored at a temperature of 22°C ± 2°C and 50 ± 5% of Relative Humidity in the original packaging.

Product Code	Face Material	Adhesive	Backing	Widths (cm)	Other Widths (cm) <sup>1</sup>	Lengths (m)	Core (inches) <sup>2</sup>	Durability (Years) <sup>3</sup>
--------------	---------------	----------	---------	-------------	--------------------------------	-------------	----------------------------	---------------------------------

**OVERLAMINATING FILMS**

**MONOMERIC COMMODITY FILMS**

RI-1867 GLOSS CLEAR AP PERMANENT WG62	70μ	Gloss Clear	Monomeric Vinyl	Transparent	AP Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 153	160	50 - 100	3	1
RI-2867 SEMI-MATT CLEAR AP PERMANENT WG62	70μ	Semi-Matt Clear	Monomeric Vinyl	Transparent	AP Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 153		50 - 100	3	1
RI-2877 MATT CLEAR AP PERMANENT WG62	70μ	Matt Clear	Monomeric Vinyl	Transparent	AP Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 153	160	50 - 100	3	1

**MONOMERIC INTERMEDIATE FILMS<sup>4</sup>**

RI-2067 UV SCREEN PROTECTED GLOSS CLEAR ASP5A PERMANENT WG62	70μ	Gloss Clear	Monomeric Vinyl	Transparent	ASP5A Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 153		50 - 100	3	3
RI-2967 UV SCREEN PROTECTED SEMI-MATT CLEAR ASP5A PERMANENT WG62	70μ	Semi-Matt Clear	Monomeric Vinyl	Transparent	ASP5A Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 153		50 - 100	3	3
RI-2977 UV SCREEN PROTECTED MATT CLEAR ASP5A PERMANENT WG62	70μ	Matt Clear	Monomeric Vinyl	Transparent	ASP5A Permanent	62 g/m <sup>2</sup> glassine paper	105 - 140 - 153		50 - 100	3	3

**POLYMERIC FILMS**

RI-JET 75 GLOSS CLEAR ASP26 PERMANENT WK135	75μ	Gloss Clear	Polymeric Vinyl	Transparent	ASP26 Permanent	135 g/m <sup>2</sup> kraft paper	137 - 155		50 - 100	3	5
RI-JET 75 MATT CLEAR ASP26 PERMANENT WK135	75μ	Matt Clear	Polymeric Vinyl	Transparent	ASP26 Permanent	135 g/m <sup>2</sup> kraft paper	137 - 155		50 - 100	3	5

**CAST FILMS**

RI-JET 30 FLEXILAM GLOSS CLEAR ASP26 PERMANENT WK135	30μ	Gloss Clear	CAST Vinyl	Transparent	ASP26 Permanent	135 g/m <sup>2</sup> kraft paper	137 - 152		50 - 100	3	7
RI-JET 30 FLEXILAM MATT CLEAR ASP26 PERMANENT WK135	30μ	Matt Clear	CAST Vinyl	Transparent	ASP26 Permanent	135 g/m <sup>2</sup> kraft paper	137 - 152		50 - 100	3	7
RI-JET 50 CAST ULTRACLEAR ASP26 PERMANENT PET36	50μ	Gloss Clear	CAST Vinyl	Transparent	ASP26 Permanent	50μ clear PET	137 - 152		50 - 100	3	7

**ANTIGRAFFITI FILMS**

RI-6480 ANTIGRAFFITI UV SCREEN PROTECTED CLEAR ASP8A PERMANENT PET30	20μ	Gloss Clear	LH Polyester	Transparent	ASP8A Permanent	30μ clear PET	105 - 131 - 140 - 153		50 - 100	3	3
RI-6480 ANTIGRAFFITI EXTRAPERMANENT UV SCREEN PROTECTED AP906 PLUS PET30	20μ	Gloss Clear	LH Polyester	Transparent	AP906 Plus Extra Permanent	30μ clear PET	137 - 153	140	50	3	4
RI-PELLENT GLOSS CLEAR ASP8A PERMANENT PET30	50μ	Gloss Clear	Synthetic Film	Transparent	ASP8A Permanent	30μ clear PET	152		25	3	4

**SPECIALITIES**

RI-121/100 POP-UP CLEAR AP PERMANENT WG62	100μ	Clear	Embossed Scuff Resistant Vinyl	Transparent	AP Permanent	62 g/m <sup>2</sup> glassine paper	104 - 122 - 140		50 - 100	3	1
RI-121/200 FLOOR TALKER CLEAR ASP8A PERMANENT WG90	200μ	Clear	Embossed Scuff Resistant Vinyl	Transparent	ASP8A Permanent	90 g/m <sup>2</sup> glassine paper	100 - 104 - 122 - 137		50 - 100	3	3
CARBON CLEAR WRAP ASP33 PERMANENT REPOSITIONABLE WKPE144	125μ	Gloss Clear	Polyolefine	Transparent	ASP33 Repositionable permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	152		25	3	5
CARBON DIAGO CLEAR WRAP ASP33 PERMANENT REPOSITIONABLE WKPE144	125μ	Gloss Clear	Polyolefine	Transparent	ASP33 Repositionable permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	152		25	3	5
STONE GUARD 240 GLOSS CLEAR ASP8A PERMANENT WKPE150	240μ	Gloss Clear	Soft Vinyl	Transparent	ASP8A Permanent	150 g/m <sup>2</sup> 2 side PE coated kraft paper	100		25	3	3
STONE GUARD 320 GLOSS CLEAR ASP8A PERMANENT WKPE144	320μ	Gloss Clear	Soft Vinyl	Transparent	ASP8A Permanent	144 g/m <sup>2</sup> 2 side PE coated kraft paper	100		25	3	3

**MOUNTING FILMS**

MONOTAPE 940P CLEAR ASP2 PERMANENT/ ASP2 PERMANENT WKPE90	12μ	Clear	Polyester	Transparent	ASP2 Permanent/ASP2 Permanent	90 g/m <sup>2</sup> 2 side PE coated kraft paper	105 - 131 - 153		50 - 100	3	3
MONOTAPE 950P CLEAR ASP5A PERMANENT/ASP5A PERMANENT WKPE120	12μ	Clear	Polyester	Transparent	ASP5A Permanent/ASP5A Permanent	120 g/m <sup>2</sup> 2 side PE coated kraft paper	105 - 131 - 153		50 - 100	3	3
MONOTAPE 950R CLEAR ASP5A PERMANENT/ARS6 REMOVABLE WKPE120	12μ	Clear	Polyester	Transparent	ASP5A Permanent/ARS6 Removable	120 g/m <sup>2</sup> 2 side PE coated kraft paper	105 - 131 - 153		50 - 100	3	3
MONOTAPE 930P CLEAR AHTV PERMANENT/AHTV PERMANENT WKPE90	23μ	Clear	Polyester	Transparent	AHTV Permanent/AHTV Permanent	90 g/m <sup>2</sup> 2 side PE coated kraft paper	105		50 - 100	3	3
ULTRACRYSTALLINE CLEAR ASP8A PERMANENT/ASP8A PERMANENT PET30	30μ	Clear	Polypropylene	Transparent	ASP8A Permanent/ASP8A Permanent	30μ clear PET	105 - 131 - 153		50 - 100	3	3
ULTRACRYSTALLINE CLEAR ARS6 REMOVABLE/ASP8A PERMANENT PET30	30μ	Clear	Polypropylene	Transparent	ARS6 Removable/ASP8A Permanent	30μ clear PET	105 - 131 - 153		50 - 100	3	3

**Recommended Storage & Handling (especially relevant to Digital Print Media)**

Always store rolls on their end (i.e. vertically) – not on their side (unless rolls are suspended).  
 Do not handle material without gloves – if this is not possible, remove the outer lap prior to printing.  
 For optimum print results material should be used within 6 months from manufacture.  
 Store in air-conditioned premises, ideally 21°C, 55% RH.

**NOTES**

To find out which products are held in finished rolls / stock, contact your local Ritrama representative.  
 (1) Minimum quantity required. Other backings available.  
 (2) Core: 6 inches available on request. Roll lengths: also 150m or 200m with minimum ordered quantity.  
 (3) Relates to life of the film only - life of print depends on inks used and techniques.  
 (4) UV inks compatible.  
 (\*) Shelf Life: 6 months, applicable to the film only at stored at a temperature of 22°C ± 2°C and 50 ± 5% of Relative Humidity in the original packaging.



  **RITRAMA S.p.A.**

Headquarters  
Roll Slitting & Distribution Centre  
Via Senatore Simonetta, 24  
20867 **Caponago** (MB) - ITALY  
Ph. +39 02 955 459.1  
Fax +39 02 955 459.01  
info@ritrama.com



  **RITRAMA S.p.A.**

Production Centre  
Polo Ind.le Berbentina  
60041 **Sassoferrato** (AN) - ITALY  
Ph. +39 0732 97061  
Fax +39 0732 96436  
info@ritrama.com

  **RITRAMA S.p.A.**

Graphics Slitting & Distribution Centre  
Via Senatore Simonetta, 24  
20867 **Caponago** (MB) - ITALY  
Ph. +39 02 955 459.1  
Fax +39 02 955 459.01  
info@ritrama.com

  **RITRAMA S.p.A.**

Production Centre  
Viale Industrie, 30  
20060 **Basiano** (MI) - ITALY  
Ph. +39 02 923948.1  
Fax +39 02 92394839  
info@ritrama.com

  **RITRAMA S.A.**

Production & Distribution Centre  
Avda, Castell Barberà 30  
Polig. Ind. Santiga  
08210 **Barberà del Valles** - SPAIN  
Ph. +34 (0) 93 729 4998  
Fax +34 (0) 93 729 0431  
info-es@ritrama.com

  **RITRAMA S.A.**

Production & Distribution Centre  
Av. Tupungato 3420 - Lotes 39 y 40  
Parque Industrial Curauma  
**Valparaíso** - CHILE  
Ph. +56 32 2996 304  
Fax +56 32 2996 347  
info-cl@ritrama.com

  **RITRAMA GUATEMALA, S.A.**

Slitting & Distribution Centre  
Av. El Ferrocarril 19-97 - zona 12  
Centro Empresarial El Cortijo I - Ofibodega 711  
**Ciudad de Guatemala** - GUATEMALA  
Ph/Fax: +502 24745367  
+502 24733741  
info-gt@ritrama.com

  **RITRAMA (UK) Ltd**

Production & Distribution Centre  
Unit 2, Fifth Avenue,  
**Dukinfield, Manchester**,  
SK16 4PP - UK  
Ph. +44 (0) 161 786 1760  
Fax +44 (0) 161 786 1761  
info-uk@ritrama.com

  **RITRAMA (Hefei)**

Pressure-Sensitive Coated Materials Co. Ltd.  
Production & Distribution Centre  
Qingluan Road, 33/35  
HEFEI Economic & Technological  
Development Zone  
**Hefei** 230601 - Anhui - CHINA  
Ph. +86 551 638 79 747  
Fax +86 551 638 79 737  
info-cn@ritrama.com

  **RITRAMA COSTA RICA S.A.**

Slitting & Distribution Centre  
De Waterland 300N-200E-100S  
Bodega #3 - La Asunción de Belén  
**Heredia** - COSTA RICA  
Ph. +506 40529300  
Fax +506 22392327  
info-cr@ritrama.com

  **RITRAMA Inc.**

Production Centre  
800 Kasota Avenue Se  
**Minneapolis** MN 55414 - U.S.A.  
Ph. +1 612 378 2277  
Fax +1 612 378 9327  
Toll Free (800) 328 5071  
info-us@ritrama.com

  **RITRAMA POLAND**

Slitting & Distribution Centre  
ul. Wroclawska 53  
56-410 **Dobroszyce** - POLAND  
Ph. +48 71 314 46 95  
Fax +48 71 315 95 25  
info-pl@ritrama.com

  **RITRAMA COLOMBIA S.A.S.**

Slitting & Distribution Centre  
Calle 98 Sur # 48 -270 Bdg 18,  
Bodegas San Sebastian  
La Estrella, Antioquia  
**Medellín** - COLOMBIA  
Ph. +57 4 4445518  
Fax +57 4 4445518  
info-co@ritrama.com

  **RITRAMA Inc.**

Production Centre  
341 Eddy Road  
**Cleveland** OH 44108 - U.S.A.  
Ph. +1 216 851.2300  
Fax +1 216 851.1938  
Toll Free (888) 362 2002  
info-us@ritrama.com

  **RITRAMA UKRAINE**

Slitting & Distribution Centre  
Ul. Novopirogovskaya, 64-A  
03045 **Kiev** - UKRAINE  
Ph. +38 044 206 81 41  
Fax +38 044 206 81 42  
info-ua@ritrama.com

  **RITRAMA AUTOADESIVO INDUSTRIA LTDA.**

Slitting & Distribution Centre  
Rod.Vice Pref.Hermenegildo Tonolli 1500  
Bairro Fazgran - **Jundiai** - SP  
CEP 13213-086 BRAZIL  
Ph. +55 11 4525 1123  
Fax +55 11 4525 1123  
info-br@ritrama.com

  **RITRAMA Inc.**

Slitting & Distribution Centre  
345 Eddy Road  
**Cleveland** OH 44108 - U.S.A.  
Toll Free (888) 362 2002  
info-us@ritrama.com

  **RITRAMA MÉXICO**

Slitting & Distribution Centre  
Mimosas #104 Col. Santa María Insurgentes  
06430 **México D.F.** - MÉXICO  
Ph. +52 55 2630 2516  
Fax +52 55 2630 2516  
info-mx@ritrama.com

  **RITRAMA PERÚ**

Slitting & Distribution Centre  
Av. Nicolás Ayllón N° 2925 - El Agustino  
**Lima** - PERÚ  
Ph +51 1 628 4845 Ex. 110  
+51 1 628 4846 Ex. 110  
info-pe@ritrama.com

  **RITRAMA CARIBE**

Slitting & Distribution Centre  
Zona Franca San Isidro  
Autopista San Isidro Km 17  
**Santo Domingo Este** - DOMINICAN REPUBLIC  
Ph. +1 809 807 0809  
Fax +1 809 620 0809  
info-do@ritrama.com

  **RITRAMA CONVERTING PTY LTD S.A.**

Slitting & Distribution Centre  
Unit A4, Ushukela Industrial Park  
Corner of Sundew and Syringa Roads  
Cornubia Industrial Business Estate  
4345 **Durban** - SOUTH AFRICA  
Ph. +27 87 155 0000  
info-za@ritrama.com

